Configure and Test PRA Integration

How to Configure and Test PRA Integration in Muhasib ERP

Overview

This guide will help you configure PRA integration and validate an needed service invoice in a controlled environment.

Muhasib attempts PRA submission; transport success alone does not prove authority acceptance.

Who can do this

You need access to PRA/tax settings, needed service-sale, terminal/location, and tax permissions.

Before you start

Get current PRA specifications, sandbox endpoint/credentials, registration and terminal identifiers, service codes, rates, buyer rules, and test scenarios.

> Before saving, check that the correct company is open and that you have permission to complete this task.

Where to find it

Back Office → tax/global/terminal settings, then the needed sales workflow.

Configure and Test PRA Integration

Step 1: Confirm the connector is active for the selected company/location

Step 2: Configure sandbox endpoint and protected credentials

Step 3: Map seller, buyer, service, tax, document, and terminal values

Step 4: Create one approved test service transaction

Step 5: Submit once and retain response identifiers/status

Step 6: Reconcile authority response to local transaction values

Check your work

One local transaction maps to one accepted sandbox response and all tax values compare and confirm.

> Take a moment to check your work before closing the window. This small check can save time later.

If something goes wrong

- Check applicability and current official rules before configuring.
- Resolve identifiers, classifications, credentials, and endpoint errors before retry.

Related guides

- Prepare Muhasib for Tax Integration

- Submit and Verify a Tax-Integrated Sale
- Recover from Tax Submission Failure

What to do next

> **Prepare Muhasib for Tax Integration**.

Revision #0
Created 2026-09-04 09:20:15 UTC by Shah Rukh Saeed
Updated 2026-09-07 10:14:00 UTC by Shah Rukh Saeed